




PO Box 5992, Sharjah,
United Arab Emirates
Tel: +971 6 534 4310
Fax: +971 6 5344 210
Email: spcsalesme@esisys.com
www.esisys.com

DISPENSING

IBC 2000 i™

Intermediate bulk containment made easy



- The new integrated IBC 2000i gives intermediate bulk container users more versatile spill containment.
- It fits more than 99% of all IBC dispensing units and features a large sump capacity of 385 gallons, exceeding EPA 40 CFR 264.175 regulations. The unit also comes with an integrated 5-gallon pail holder for quick and easy dispensing.
- The IBC 2000i is the only one-piece, lightweight, 100% polyethylene IBC spill containment unit that is forkliftable and nestable for convenient shipment and storage, and reduces shipping costs.
- The polyethylene construction will not rust or corrode or have adverse reactions with chemicals.
- An optional drain is available.

	SPECIFICATIONS
	IBC 2000 i™
Product No.	5469-YE, 5469 YE-D w/drain
Exterior Dimensions	72" l x 80" h x 29" h 182.88 cm x 203.20 cm x 73.66 cm
Pedestal Dimensions	55" l x 55.5" h x 29" h 139.70 cm x 140.97 cm x 73.66 cm
Weight	308 lbs / 678 kg
Sump	385 lbs / 1457.45 litres
Maximum load rating	8,000 lbs.UDL
Regulations	EPA 40 CFR 264.175

